



VIZABLE FR Hi-Vis Contractor Road Vest - Type R Class 2



Specs

Product Code VNT99703_ _

Sizes MD-3X

Stock Colors 

Fabric / Material 5.8 oz. FR Mesh

Compliance

Arc Rating 4.6 cal/cm²

CAT Level CAT 1

ANSI Type / Class Type R Class 2

Standards

- NFPA 70E
- ANSI/ISEA 107 Type R Class 2
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- Durable and breathable FR mesh
- FR hook and loop front closure
- Inherently flame resistant, FR protection will not wash/wear out
- FR fabric will not melt, drip, or ignite
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach. DO NOT use fabric softeners.
- Wash/Laundry Instructions: Turn inside out prior to washing. Machine wash cold (Max. 80°F / 27°C). Tumble dry low (Max. 140°F / 60°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

VIZABLE FR Hi-Vis Survey Vest - Type R Class 2



Specs

Product Code VNT99375_ _

Sizes MD-3X

Stock Colors 

Fabric / Material 6.5 oz. FR Hi-Breathable modacrylic blend twill

Compliance

Arc Rating 8.9 cal/cm²

CAT Level CAT 2

ANSI Type / Class Type R Class 2

Standards

- NFPA 70E
- ANSI/ISEA 107 Type R Class 2
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- Moisture wicking and breathable
- Inherently flame resistant, FR protection will not wash/wear out
- Dielectric zip front closure
- 7 Pockets: Right chest cell phone, Left chest double pencil/tool pocket, Back survey pocket with snap, 2 lower outside pockets with flaps, and 2 lower inside patch pockets
- Mic-clip band on left shoulder
- 3M Scotchlite™ silver FR solid reflective material
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach. DO NOT use chlorine. DO NOT use fabric softeners.
- Wash/Laundry Instructions: Turn inside out before washing. Machine wash cold (Max. 80°F / 27°C). Tumble dry low (Max. 140°F / 60°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.



NATIONAL
SAFETY APPAREL®

VIZABLE FR Hi-Vis Survey Vest



Specs

Product Code VNT99374_ _

Sizes SM-3X

Stock Colors



Fabric / Material 9 oz. 100% FR Cotton, NON ANSI

Compliance

Arc Rating 9.4 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- 7 Pockets: Right chest cell phone, Left chest double pencil/tool pocket, Back survey pocket with snap, 2 lower outside pockets with flaps, and 2 lower inside patch pockets
- Mic-clip band on left shoulder
- FR zip front closure
- 3M Scotchlite™ silver FR solid reflective material
- Non-ANSI
- Inherently flame resistant, FR protection will not wash/wear out
- FR fabric will not melt, drip, or ignite
- Made in the USA

Product Care


Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or hydrogen peroxide. DO NOT use fabric softeners or starch.
- Wash/Laundering Instructions: Turn inside out before washing. Machine wash warm (Max. 140°F / 60°C). Detergent only. Tumble dry low (Max. 165°F / 74°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

VIZABLE FR Hi-Vis Contractor Short Waist Vest



Specs

Product Code	VNT99604_ _
Sizes	SM-5X Other sizes available upon request
Made To Order Colors	
Fabric / Material	9 oz. Orange 100% FR Cotton, NON-ANSI

Compliance

Arc Rating 9.4 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- 3M™ Scotchlite™ FR silver segmented reflective trim
- FR hook and loop front closure
- Inherently flame resistant, FR protection will not wash/wear out
- FR fabric will not melt, drip, or ignite
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or hydrogen peroxide. DO NOT use fabric softeners or starch.
- Wash/Laundry Instructions: Turn inside out before washing. Machine wash warm (Max. 140°F / 60°C). Detergent only. Tumble dry low (Max. 165°F / 74°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

VIZABLE FR Hi-Vis Standard Vest - Type R Class 2



Specs

Product Code V00TV2Z__

Sizes MD-4X

Stock Colors 

Fabric / Material 6.5 oz. Westex® DH

Compliance

Arc Rating 8.9 cal/cm²

CAT Level CAT 2

ANSI Type / Class Type R Class 2

Standards

- NFPA 70E
- NFPA 2112
- ANSI/ISEA 107 Type R Class 2
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- Inherently flame resistant, FR protection will not wash/wear out
- 3M™ Scotchlite™ FR segmented silver reflective trim
- Inner left chest pocket
- Tagless neckline and exterior labeling
- Moisture wicking and breathable
- Dual certified to protect against flash fire and arc flash hazards
- Zip front closure
- FR fabric will not melt, drip, or ignite
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach. DO NOT use chlorine. DO NOT use fabric softeners.
- Wash/Laundering Instructions: Turn inside out before washing. Machine wash cold (Max. 80°F / 27°C). Tumble dry low (Max. 140°F / 60°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

VIZABLE® Standard Vest (V00)

Size	Chest
SM	29" - 32"
MD	33" - 36"
LG	37" - 40"
XL	41" - 44"
2X	45" - 48"
3X	49" - 52"
4X	53" - 56"
5X	57" - 60"